

IN THE CLAIMS

Please cancel claims 7-13 without prejudice or disclaimer as to their subject matter and newly add claims 16-37 by this Amendment as follows:

AS 1 --16. A method of repairing a computer, comprising the steps of:
2 turning on power to said computer and letting said computer boot, load an operating system
3 and load a user friendly graphical user interface for said operating system using non-removable
4 media inside said computer when possible;
5 checking for a conflict inside said computer by non-removable media inside said computer
6 when said computer has said operating system fully loaded and said user friendly graphical user
7 interface is present;
8 repairing any conflicts by non-removable media inside said computer upon detection of said
9 conflicts in said checking step; and
10 returning to a user friendly graphical user interface for said operating system if all conflicts
11 have been repaired.

1 --17. The method of claim 16, further comprising the steps of:
2 presenting a user on an input/output unit of said computer a plurality of dates and times said
3 computer can revert to based on said dates and times said computer stored state information
4 pertaining to said computer inside a non-removable storage media only when at least one conflict

5 remains unrepaired after said repairing step;

AS 6 selecting a date and time to revert said computer to; and

7 reloading state information germane to said date and time selected by said user resulting in
8 said computer reverting to an earlier time when said computer did not have said unrepairable conflict
9 and displaying a user friendly graphical user interface for said operating system at said date and time
10 that said computer was reverted to.

1 --18. The method of claim 16, said conflict selected from the group consisting of a general
2 protection fault, system registry fault and abnormality of system hardware information.

1 --19. The method of claim 17, said state information comprising:
2 a registry of said operating system; and
3 state data of device drivers.

1 --20. The method of claim 16, said checking step initiated by a user pressing a diagnosis
2 button on an input/output portion of said computer.

1 --21. The method of claim 16, said checking step being run automatically periodically by
2 non-removable media inside said computer.

1
2
3
4

--22. The method of claim 16, said booting, loading an operating system, and providing a user friendly graphical user interface being performed by a CD-ROM disk only if said non-removable media inside said computer fails to boot, load said operating system and provide a user friendly graphical user interface germane to said operating system to a user.

1
2
3
4

--23. The method of claim 22, said CD-ROM backs up data files stored on said non-removable media of said computer and partitions and formats said non-removable media inside said computer after booting said computer and prior to installation of said operating system onto said computer.

1
2
3
4
5
6

--24. The method of claim 23, further comprising the steps of:
searching for conflicts in said non-removable media inside said computer by using said CD-ROM;
repairing any conflicts found in said non-removable media of said computer by said CD-ROM; and
reinstalling said backed-up data files to said non-removable media inside said computer.

1

--25. The method of claim 16, said operating system being Windows.

1

--26. The method of claim 16, capacity of said main memory, type of video card, resolution

2 of video card, color gradation of said video card, recognition of an MPEG card, state of modem, state
3 of each floppy disk drive, state of each CD-ROM drive, state of each DVD drive, and serial/parallel
4 ports are checked to determine if a conflict exists within said computer after said operating system
5 is fully loaded on said computer.

1 --27. A computer, comprising:
2 a central processing unit for controlling the overall operation of said computer;
3 an input/output device enabling a user to interact with said computer;
4 a main memory storing program files and data files;
5 an auxiliary memory;
6 a non-removable conflict control unit that is accessed by said computer whenever a conflict
7 within said computer is encountered after a graphical user interface for an operating system is
8 presented to a user via said input/output device; and
9 a CD-ROM drive used to boot up said computer, load an operating system and provide a
10 graphical user interface when said computer fails to achieve said graphical user interface germane
11 to said operating system.

1 --28. The computer of claim 27, said conflict control unit comprises a conflict sensing
2 portion to perform a diagnosis on said computer to determine if a conflict is present when said
3 computer is displaying a user-friendly interface germane to said operating system via said

4 input/output device to a user.

AS
1 --29. The computer of claim 28, said conflict control unit comprises repair software to repair
2 conflicts sensed by said conflict sensing portion.

1 --30. The computer of claim 27, said conflict selected from the group consisting of a general
2 protection fault, system registry fault and abnormality of system hardware information, said conflict
3 not interfering with the booting process, the loading of said operating system process and the loading
4 of said user-friendly graphical user interface germane to said operating system.

1 --31. The computer of claim 27, said conflict control unit comprises a recording portion
2 recording state information of said computer at various times prior to installation or changes to
3 software in said computer.

1 --32. The computer of claim 27, said auxiliary memory providing said input/output device
2 a list of dates and times said computer can revert to by reloading state information stored at each
3 respective date and time listed when said conflict control portion is unable to resolve discovered
4 conflicts.

1 --33. The computer of claim 27, said conflict control unit reverting said computer by

AS 2 reloading state information stored in said computer at a prior date and time upon user input via said
3 input/output device when said conflict control portion is unable to resolve discovered conflicts.

1 --34. The computer of claim 27, said conflict selected from the group consisting of a general
2 protection fault, system registry fault and abnormality of system hardware information.

1 --35. The computer of claim 31, said state information comprising:
2 a registry of said operating system; and
3 state data of device drivers.

1 --36. The computer of claim 27, said input/output device comprising a button that a user can
2 push to cause said conflict control unit to search for conflicts within said computer system and
3 attempt to repair any discovered conflicts without the use of media that is removable from said
4 computer.

1 --37. The computer of claim 27, capacity of said main memory, type of video card,
2 resolution of video card, color gradation of said video card, recognition of an MPEG card, state of
3 modem, state of each floppy disk drive, state of each CD-ROM drive, state of each DVD drive, and
4 serial/parallel ports are checked to determine if a conflict exists within said computer after said
5 operating system is fully loaded on said computer.--